

GOVERNMENT OF ANDHRA PRADESH  
ABSTRACT

P.S. - Irrigation & CAD Department - Disciplinary action against Sri k.Venkata naidu, Assistant Engineer (Rtd) for misconduct in respect of irregularities committed in Neeru-Meeru & FFWP in Kurupam Sub Division of irrigation Division, Parvathipuram, Vizianagaram District-Sanction under Rule 9 of APRP Rules, 1980 - Orders - Issued.

---

IRRIGATION & CAD (SER.VII(V&E-2) DEPARTMENT

G.O.Ms.No. 41

Dated: 13 -03-2009

O R D E R:

Whereas it has been brought to the notice of the Government that Sri M.Venkata naidu, Assistant Engineer (Rtd) during his incumbency as Assistant Engineer in Kurupam Sub Division has been alleged to have committed misconduct in respect of the works executed in Neeru- Meeru & FFWP.

2. Therefore Government have come to conclusion after examination that there exists a prima facie case to initiate Departmental action against Sri M.Venkata Naidu, Assistant Engineer (Rtd) .

3. Now, therefore sanction is accorded under sub clause (i) under clause (b) of sub rule (2) of Rule 9 of Andhra Pradesh Revised Pension Rules, 1980 to initiate Departmental Proceedings against the said Sri M.Venkata naidu, Assistant (Rtd) .

4. It is further directed that the said Departmental proceedings shall be conducted in accordance with the procedure laid down in rule 20 of A.P Civil Services (CC&A) Rules, 1991.

(BY ORDER AND IN THE NAME OF GOVERNOR OF ANDHRA PRADESH)

**S.P.TUCKER**  
**PRINCIPAL SECRETARY TO GOVERNMENT**

To

Sri M.Venkata Naidu, Assistant Engineer (Rtd) through Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad.

The Engineer-in-Chief (AW),I& CAD Department, Hyderabad

//FORWARDED : : BY ORDER//

SECTION OFFICER